

Arena-independent Memory Bounds for Nash Equilibria in Reachability Games

James C. A. Main

UMONS – Université de Mons and F.R.S.-FNRS, Belgium

The logo for the University of Mons (UMONS) features the word "UMONS" in a bold, sans-serif font. The letter "U" is grey, while "MONS" is red. A horizontal red line is positioned below the "U".

The logo for the National Research Fund (FNRS) consists of the lowercase letters "fnrs" in a bold, purple, sans-serif font. Below the letters, the tagline "LA LIBERTÉ DE CHERCHER" is written in a smaller, green, sans-serif font.

Journées du GT Vérif 2023

Talk overview

- We consider turn-based **multiplayer games on graphs** with **reachability** and **shortest-path** objectives.
- We focus on constrained **Nash equilibria** in these games.
- Traditional constructions for finite-memory constrained Nash equilibria usually yield strategies with a size **dependent on the arena**.

In this talk

We provide constructions for **finite-memory Nash equilibria** in shortest-path and reachability games that depend only on the **number of players**.

- The constructions presented here apply to **infinite arenas**.

Table of contents

- 1 Reachability and shortest-path games
- 2 Strategies in zero-sum games
- 3 Arena-independent memory bounds

Table of contents


1 Reachability and shortest-path games

2 Strategies in zero-sum games


3 Arena-independent memory bounds

Multiplayer games on graphs

- An **arena** is a graph with vertices partitioned between the n players.
- **Plays** are infinite sequences of vertices consistent with the edges, e.g., $v_0v_1v_2(v_1v_0)^\omega$. A **history** is a **finite prefix** of a play.
- In a **game**, each player has a **cost function** $\text{cost}_i: \text{Plays}(\mathcal{A}) \rightarrow \overline{\mathbb{R}}$.



Reachability and shortest-path games



- The **reachability** cost function is given by a target set $T \subseteq V$.
- A **shortest-path** cost function is described by a weight function $w: E \rightarrow \mathbb{N}$ and a target T . For any play $\pi = v_0 v_1 v_2 \dots$,

$$\text{SPath}_w^T(\pi) = \begin{cases} +\infty & \text{if } T \text{ is not visited in } \pi \\ \sum_{\ell=0}^{r-1} w((v_\ell, v_{\ell+1})) & \text{else, where } r = \min\{r' \mid v_{r'} \in T\} \end{cases}$$



- We omit weight of 1 from illustrations in the following.

Strategies

- A strategy $\sigma_i: V^*V_i \rightarrow V$ of \mathcal{P}_i maps a history to a vertex.
- A strategy profile $\sigma = (\sigma_i)_{i \leq n}$ is a tuple with one strategy per player.

Finite-memory strategies

A strategy is **finite-memory** if it can be encoded by a Mealy machine $(M, m_{\text{init}}, \text{up}, \text{nxt}_i)$ where M is a finite set, $m_{\text{init}} \in M$, $\text{up}: M \times V \rightarrow M$ is an update function and $\text{nxt}: M \times V_i \rightarrow V$ is a next-move function.




Nash equilibria

Nash equilibrium


A strategy profile σ is a **Nash equilibrium (NE)** from $v_0 \in V$ if no player has an incentive to **unilaterally deviate** from σ , i.e., for all $i \leq n$ and all strategies σ'_i of \mathcal{P}_i :

$$\text{cost}_i(\text{Out}(\sigma, v_0)) \leq \text{cost}_i(\text{Out}((\sigma'_i, \sigma_{-i}), v_0)).$$

- Consider the **shortest-path game** with $T_1 = \{t_{12}, t_1\}$ and $T_2 = \{t_{12}\}$.



Not an NE



Memoryless NE

- Incomparable NE cost profiles** may co-exist and some require **memory**.

Table of contents

- 1 Reachability and shortest-path games
- 2 Strategies in zero-sum games
- 3 Arena-independent memory bounds

Zero-sum games

- We rely on properties of **two-player zero-sum games** to construct NEs.

Zero-sum game

A two-player game $\mathcal{G} = (\mathcal{A}, (\text{cost}_1, \text{cost}_2))$ is **zero-sum** if $\text{cost}_1 = -\text{cost}_2$.

- A strategy σ_1 of \mathcal{P}_1 **ensures** $c \in \overline{\mathbb{R}}$ from v if for all strategies σ_2 of \mathcal{P}_2 , $\text{cost}_1(\text{Out}((\sigma_1, \sigma_2), v)) \leq c$. For \mathcal{P}_2 , we **reverse** the inequality.
- The **value** of v , $\text{val}(v)$, is the infimum cost \mathcal{P}_1 can ensure from it.
- A strategy σ_i of \mathcal{P}_i is **optimal** from v if it ensures $\text{val}(v)$.
- From multi-player games, we derive zero-sum games that oppose one player to the others.

Coalition game

Given a game \mathcal{G} and a player \mathcal{P}_i , we let \mathcal{G}_i be the **zero-sum game** on the **same graph** where all other players ally against \mathcal{P}_i .

Zero-sum reachability and shortest-path games

In a zero-sum reachability game with target T , vertices are either:

- in $W_1(\text{Reach}(T))$, from which \mathcal{P}_1 can force a visit to T ;
- in $W_2(\text{Safe}(T))$, from which \mathcal{P}_2 can avoid T infinitely.

Theorem ([Maz01]¹)

In a zero-sum reachability game, both players have uniform optimal (i.e., winning) memoryless strategies.

- In a shortest-path game, \mathcal{P}_2 may not have an optimal strategy.

Theorem

In a zero-sum shortest-path game, for all $\alpha \in \mathbb{N}$, there exists a memoryless strategy σ_2^α of \mathcal{P}_2 such that, for all $v \in V$:

- 1 if $v \in W_2(\text{Safe}(T))$, T cannot be visited from v under σ_2^α ;
- 2 σ_2^α ensures a cost of at least $\min\{\text{val}(v), \alpha\}$.

¹Mazala, "Infinite Games".

Table of contents

- 1 Reachability and shortest-path games
- 2 Strategies in zero-sum games
- 3 Arena-independent memory bounds

Simplifying NE outcomes

- Not all outcomes can be induced by finite-memory strategy profiles.
- We **simplify NE outcomes** via a characterisation based on:
 - **values of vertices** in coalition shortest-path games \mathcal{G}_i ;
 - **winning regions** in coalition reachability games.

Lemma (NE outcomes with a simple decomposition)

Let $\rho = v_0 v_1 v_2 \dots$ be an NE outcome in an n -player shortest-path game. There exists an **NE outcome** π from v_0 that can be decomposed as $h_1 \cdot \dots \cdot h_k \cdot \pi'$ such that

- 1 h_j is a **simple history** ending in the j th visited target;
- 2 π' is a simple play or of the form hc^ω with hc a simple history;
- 3 for all $j \leq k$, $w(h_j)$ is **minimum** among histories sharing their first and last vertices with h_j that traverse a subset of the vertices of h_j ;
- 4 for all $i \leq n$, $\text{SPath}_w^{T_i}(\pi) \leq \text{SPath}_w^{T_i}(\rho)$.

Obtaining arena-independent memory bounds



- An outcome with k segments can be achieved by a Mealy machine with k states.
- We build on these Mealy machines and include information to track deviations.
- We punish players with memoryless strategies when they deviate from the intended outcome to obtain NEs.

When to punish?

The key is to not punish all deviations: we tolerate deviations that do not exit the current segment.

An example with a single segment

- Let $T_1 = T_2 = \{t_{12}, t_{123}\}$ and $T_3 = \{t_{123}\}$.
- Considered NE outcome $v_0 v_1 v_3 t_{123}^\omega$: focus on $v_0 v_1 v_3 t_{123}$.



Punishing strategy against \mathcal{P}_1

General result

Theorem (shortest-path games)

For all NE outcomes π from v_0 in a *shortest-path game*, there exists a finite-memory NE σ from v_0 with strategies of *memory at most $n^2 + 2n$* such that $\text{SPath}_w^{T_i}(\text{Out}(\sigma, v_0)) \leq \text{SPath}_w^{T_i}(\pi)$ for all $i \leq n$.

In *reachability games*, we can *refine the memory bounds*.

Theorem (Reachability games)


For all NE outcomes π from v_0 in a *reachability game*, there exists a finite-memory NE σ with strategies of *memory at most n^2* such that the same targets are visited in π and in $\text{Out}(\sigma, v_0)$.

References I

- Brihaye, Thomas et al. “On relevant equilibria in reachability games”. In: *J. Comput. Syst. Sci.* 119 (2021), pp. 211–230. DOI: 10.1016/j.jcss.2021.02.009. URL: <https://doi.org/10.1016/j.jcss.2021.02.009>.
- Mazala, René. “Infinite Games”. In: *Automata, Logics, and Infinite Games: A Guide to Current Research [outcome of a Dagstuhl seminar, February 2001]*. Ed. by Erich Grädel, Wolfgang Thomas, and Thomas Wilke. Vol. 2500. Lecture Notes in Computer Science. Springer, 2001, pp. 23–42. DOI: 10.1007/3-540-36387-4_2. URL: https://doi.org/10.1007/3-540-36387-4_2.
- Osborne, Martin J. and Ariel Rubinstein. *A course in game theory*. The MIT Press, 1994.

No optimal strategy in zero-sum shortest-path games

- In a zero-sum shortest-path game, \mathcal{P}_1 has a **memoryless uniform optimal strategy**.
- However, \mathcal{P}_2 does **not have** an optimal strategy in general.



- In this game, $\text{val}(v_j) = j$ for all $j \in \mathbb{N}_0 \cup \{\infty\}$.
- However, no matter the strategy of \mathcal{P}_2 from v_∞ , \mathcal{P}_2 **cannot prevent a visit to t** .

Obtaining finite-memory NEs

- Finite-memory strategy profiles have **ultimately periodic outcomes** in finite arenas.
- We therefore have to **simplify NE outcomes** for them to result from a finite-memory strategy profile.

How do we proceed?

- 1 We rely on a **characterisation** of plays that can result from NEs.
- 2 We use the characterisation to derive from any outcome another that results from a **finite-memory NE**.


When does a play result from an NE?

- In **finite arenas**, we have the following characterisation of NE outcomes in shortest-path games [BBGT21]²:

Theorem ([BBGT21])

Let $\pi = v_0 v_1 \dots$ be a play and let $(T_i)_{i=1}^n$ be the targets. Then π is an outcome of an NE from v_0 in \mathcal{G} if and only for all $1 \leq i \leq n$, $\ell \leq r_i$, it holds that $\text{SPath}_w^{T_i}(\pi_{\geq \ell}) \leq \text{val}_i(v_\ell)$ where $r_i = \inf\{r \in \mathbb{N} \mid v_r \in T_i\}$.

- However, it does **not hold** as is in **infinite arenas**.
- **Counterexample**: the play v_0^ω , assuming $T_1 = \{t\}$, $T_2 = V$.



²Brihaye et al., “On relevant equilibria in reachability games”.

Characterising NE outcomes

- In infinite games, we must consider the winning regions in the reachability game.

Theorem

Let $\pi = v_0 v_1 \dots$ be a play and let $(T_i)_{i=1}^n$ be the targets. Then π is the outcome of an NE from v_0 in \mathcal{G} iff for all $1 \leq i \leq n$ and $\ell \in \mathbb{N}$, we have

- 1 if T_i does not occur in π , then $v_\ell \notin W_i(\text{Reach}(T_i))$ and
- 2 if T_i occurs in π , then $\ell \leq r_i$, implies that $\text{SPath}_w^{T_i}(\pi_{\geq \ell}) \leq \text{val}_i(v_\ell)$ where $r_i = \min\{r \in \mathbb{N} \mid v_r \in T_i\}$.

Proof idea. (\Leftarrow) We construct an NE $(\sigma_i)_{i=1}^n$ from v_0 by letting for all $1 \leq i \leq n$:

- if h is a prefix $v_0 \dots v_k$ of π , $\sigma_i(h) = v_{k+1}$ and
- otherwise, if h is not a prefix of π and \mathcal{P}_j is responsible for deviating, let $\sigma_i(h) = \sigma_{-j}(\text{last}(h))$ for some \mathcal{P}_j -punishing memoryless strategy.

□

Simplifying NE outcomes

Lemma

Let $\rho = v_0 v_1 v_2 \dots$ be an NE outcome in an n -player shortest-path game. There exists an **NE outcome** π from v_0 that can be decomposed as $h_1 \cdot \dots \cdot h_k \cdot \pi'$ such that


- 1 h_j is a **simple history** ending in the j th visited target;
- 2 π' is a simple play or of the form hc^ω with hc a simple history;
- 3 for all $j \leq k$, $w(h_j)$ is **minimum** among histories sharing their first and last vertices with h_j that traverse a subset of the vertices of h_j ;
- 4 for all $i \leq n$, $\text{SPath}_w^{T_i}(\pi) \leq \text{SPath}_w^{T_i}(\rho)$.

Proof idea. We apply the following steps.

- Decompose ρ similarly to condition 1, replace each obtained history by a simple one of minimal weight.
- Change the suffix to loop in the first cycle along it if applicable.
- The resulting π is an NE outcome by the characterisation.


Negative weights

- In a setting with **negative weights**, in the presence of a negative cycle, there can be NE cost profiles that require an **arbitrarily large memory size**.
- If $T_1 = \{t\}$ and $T_2 = V$, for all $n \in \mathbb{N}_0$, the play $(v_0 v_1)^n t^\omega$ is an NE outcome that requires a memory of size n and gives a cost of $-n$ for \mathcal{P}_1 .



Büchi games

- A **Büchi objective** for $T \subseteq V$ requires that T is visited infinitely often.
- It is not possible to obtain arena-independent memory bounds for Büchi objectives, e.g., below with $T_1 = \{t\}$ and $T_2 = \{w_1, w_2, w_3\}$.
- We require 3 memory states and it generalises for all $n \geq 1$.



Theorem

In any Büchi game, from any NE we can build a finite-memory NE such that the same objectives are satisfied.